
Zoning Information 30 Ardell Grove Nepean



R2 – Residential Zone

Purpose of the Zone

The purpose of the R2- Residential Second Density Zone is to:

- (1) restrict the building form to detached and two principal unit buildings in areas designated as **General Urban Area** in the Official Plan;
- (2) allow a number of other residential uses to provide additional housing choices within the second density residential areas;
- (3) permit ancillary uses to the principal residential use to allow residents to work at home;
- (4) regulate development in a manner that is compatible with existing land use patterns so that the detached and two principle dwelling, residential character of a neighbourhood is maintained or enhanced; and
- (5) permit different development standards, identified in the Z subzone, primarily for areas designated as **Developing Communities**, which promote efficient land use and compact form while showcasing newer design approaches.

157. In the R2 Zone:

Permitted Uses

- (1) The following uses are permitted uses subject to:
 - (a) The provisions of subsection 157 (3) to (12);
 - (b) a maximum of three guest bedrooms in a bed and breakfast;
 - (c) a maximum of ten residents is permitted in a group home; and
 - (d) a maximum of ten residents is permitted in a retirement home, converted. bed and breakfast, see Part 5, Section 121 detached dwelling diplomatic mission, see Part 3, Section 88 duplex dwelling, see Part 5, Section 138 (By-law 2010-307) group home, see Part 5, Section 125 home-based business, see Part 5, Section 127 home-based daycare, see Part 5, Section 129 linked-detached dwelling , see Part 5, Section 138 (By-law 2010-307) park retirement home, converted see Part 5, Section 138 (By-law 2010-307) park retirement home, converted see Part 5, Section 133 semi-detached dwelling, see Part 5, Section 138 (By-law 2010-307) urban agriculture, see Part 3, Section 82 (By-law 2017-148)

Conditional Permitted Uses

- (2) The following conditional use is also permitted in the R2 zone, subject to the following:
 - (a) it is located on a lot fronting on and having direct vehicular access to an Arterial or Major Collector Road, such roads which are indicated on Schedule 3 – Urban Road Network; and
 - (i) Where there is no secondary dwelling unit, a maximum of seven rooming units is permitted;

(ii) Where there is a secondary dwelling unit, a maximum of six rooming units is permitted. (By-law 2018-206)

rooming house see Section 122 (By-law 2018-206)

Zone Provisions

- (3) The zone provisions are set out in Table 158A and 158B.
- (4) A diplomatic mission and a group home that is not a prohibited use listed in Column II of Table 158A is subject to the subzone provisions for a detached dwelling.
- (5) A park is not subject to the provisions of Table 158A, however any development will be subject to the subzone provisions for a detached dwelling. (By-law 2016-131)
- (6) Conversions to alter an existing residential use building to create another listed permitted use are subject to the provisions of *Part 5, Section 122* Conversions.
- (7) Minimum lot width, lot area and parking requirements for linked-detached dwelling and semi-detached dwelling shall apply to each portion of a lot on which each individual dwelling unit is located, whether or not that parcel is to be severed.

Alternative Setbacks for Urban Areas

(OMB Order File Nº: PL150797, issued July 25, 2016 - By-law 2015-228)

- (8) For regulations affecting yard setbacks applicable to urban residential lots located within Schedule 342, see Part V, Section 144 – Alternative Yard Setbacks affecting R1-R4zoned Residential Lots within the Greenbelt. (By-law 2020-289)
- (9) (a) Minimum lot area for long semi-detached dwelling applies to the whole of the dwelling and not to each dwelling unit.
 - (b) Minimum lot width for a long semi-detached dwelling applies to the whole of the dwelling, unless the dwelling units are severed in a flag lot configuration. See Part V, Section 145 – Long Semi-detached Dwellings for other regulations. (By-law 2020-289

Other Zone Provisions

(OMB Order File Nº: PL150797, issued July 25, 2016 - By-law 2015-228)

- (10) For other applicable provisions, see Part 2 General Provisions, Part 3 Specific Use Provisions, Part 4 – Parking, Queuing and Loading Provisions and Part 5 Residential Provisions.
- (11) Where the "-c" suffix is shown in the zone code, Section 141 also applies. (By-law 2015-197)

R2 Subzones

- **158.** In the R2 Zone, the following subzones and provisions apply such that:
 - (1) (a) Column I lists the subzone character;
 - (b) Column II lists the uses from Section 157(1) and (2) that are prohibited uses;
 - (c) Column III identifies the principal permitted dwelling types in order to differentiate in Columns III to XI the required zone provisions applying to the dwelling types;
 - (d) Columns IV through X inclusive, establish required zone provisions applying to development in each subzone;
 - (e) Column XI lists the reference number of additional provisions applying in each subzone. The additional provisions themselves are provided in Table 158B. Where an additional provision applies, the corresponding provision specified in Table 158B takes ultimate precedence over any provision provided in Table 158A;
 - (f) Where a superscript number occurs in Table 158A eg.: 600¹, the superscript number 1 refers to a number in Column I of Table 158B which sets out an additional provision;
 - (g) Where "na" appears, it means that the associated provision is not applicable; and
 - (h) Where "varies" appears, the associated provision is referenced and provided as an additional provision.

l Sub- Zone	II Prohibited Uses	III Principal Dwelling Type	IV Minimum Lot Width (m)	V Minimum Lot Area (m)	VI Maximum Building Height (m)	VII Minimum Front Yard Setback (m)	VIII Minimum Corner Side Yard Setback (m)	IX Rear Yard Setback Minimum (m)	X Minimum Interior Side Yard Setback (m)	XI Endnotes (see Table 158B)
A	None	Detached Linked- detached	20	600 ¹	11 ^{14,16}	6	4.5	9	1	1
		Long Semi	21 ²	630 ³	11	6	4.5	9	2	2,3
		Duplex	21 ^{2,}	630 ³	11	6	4.5	9	2	2,3
		Semi- Detached	10.5	315 5	11	6	4.5	9	1	4,5
В	Duplex	Detached, Linked- detached	18	540	11	6	4.5	6	1.2	
		Long Semi	10	300	11	6	4.5	6	1.2	
		Semi- detached	10.5	315	11	6	4.5	6	1.2	
С	Duplex	Detached, Linked- detached	15	450	11	4.5	4.5	7.5 ⁶	1	6
		Long Semi	10	300	11	4.5	4.5	7.5 ⁶	1	6
		Semi- detached	9	270	11	4.5	4.5	7.5 ⁶	1.2	6

TABLE 158A – R2 SUBZONE PROVISIONS (OMB Order File N°: PL150797, issued July 25, 2016 - By-law 2015-228) (By-law 2020-288) (By-law 2023-222)

l Sub- Zone	ll Prohibited Uses	III Principal Dwelling Type	IV Minimum Lot Width (m)	V Minimum Lot Area (m)	VI Maximum Building Height (m)	VII Minimum Front Yard Setback (m)	VIII Minimum Corner Side Yard Setback (m)	IX Rear Yard Setback Minimum (m)	X Minimum Interior Side Yard Setback (m)	XI Endnotes (see Table 158B)
D	None	Detached, Duplex, Linked- detached	15	450	8.5	3	3	7.5 ⁶	1.2	6
		Long Semi	10	300	8.5	3	3	7.5 ⁶	1.2	6
		Semi- detached	9	270	8.5	3	3	7.5 ⁶	1.2	6
E	None	Detached, Duplex Linked- detached	15	450	8.5	3	3	7.5 ⁶	1.2	6
		Long Semi	10	300	8.5	3	3	7.5	1.2	
		Semi- detached	7.5	225	8.5	3	3	7.5 ⁶	1.2	6
F	None	Detached, Duplex, Linked- detached	15	450	8	6	4.5	7.56	3 m total; 1.2 m for one side yard	6
		Long Semi	10	300	8	6	4.5	7.5 ⁶	3 m total; 1.2 m for one side yard	6
		Semi- detached	9	270	8	6	4.5	7.5 ⁶	1.5	6
G	None	Detached, Duplex, Linked- detached	15	450	8	6	4.5	7.5 ⁶	3 m total; 1.2 m for one side yard	6
		Long Semi	10	300	8	6	4.5	7.5 ⁶	3 m total; 1.2 m for one side yard	6
		Semi- detached	7.5	225	8	6	4.5	7.5 ⁶	1.5 within Area A of Schedule 342, all other cases 1.2	6
Н	None	Detached, Duplex, Linked- detached	15	440	8	6	4.5	7.5 ⁶	3 m total; 1.2 m for one side yard	6
		Long Semi	10	300	8	6	4.5	7.5 ⁶	3 m total; 1.2 m for one side yard	6
		Semi- detached	9	270	8	6	4.5	7.5 ⁶	1.5 within Area A of Schedule 342, all other cases 1.2	6
I	None	Detached, Duplex, Linked- detached	12	360	8.5	3	3	7.5 ⁶	1.2	6

l Sub- Zone	ll Prohibited Uses	III Principal Dwelling Type	IV Minimum Lot Width (m)	V Minimum Lot Area (m)	VI Maximum Building Height (m)	VII Minimum Front Yard Setback (m)	VIII Minimum Corner Side Yard Setback (m)	IX Rear Yard Setback Minimum (m)	X Minimum Interior Side Yard Setback (m)	XI Endnotes (see Table 158B)
		Long Semi	10	300	8.5	3	3	7.5 ⁶	1.2	6
		Semi- detached	6	180	8.5	3	3	7.5 ⁶	1.2	6
J	None	Detached, Duplex, Linked- detached	12	360	8	6	4.5	7.5 ⁶	1.2	6
		Long Semi	10	300	8	6	4.5	7.5 ⁶	1.2	6
		Semi- Detached	6	180	8	6	4.5	7.5 ⁶	1.2	6
К	Duplex	Detached Linked- detached	10.5	315	9.5	4.5	4.5	7.56	1	6
		Long Semi	10	315	9.5	4.5	4.5	7.5 ⁶	1	6
		Semi- detached	10.5	315	9.5	4.5	4.5	7.5 ⁶	1	6
L	None	Detached Linked- detached	10	275	Schedule 342, Area A is 8.5; all other cases 9.5	4.5	4.5	7.5 ⁶	1	6
		Long Semi	10	275	Schedule 342, Area A is 8.5; all other cases 9.5	4.5	4.5	7.5 ⁶	1	6
		Semi- detached	6	165	Schedule 342, Area A is 8.5; all other cases 9.5	4.5	4.5	7.5 ⁶	1	6
		Duplex	12	330	Schedule 342, Area A is 8.5; all other cases 9.5	4.5	4.5	7.5 ⁶	1	6
М	Duplex	Detached, Linked- detached	9.5	285	Schedule 342, Area A is 8.5; all other cases 9.5	4.5 ⁹	4.5	9	0.9	9
		Long Semi	10	300	Schedule 342, Area A is 8.5; all other cases 9.5	4.5 ⁹	4.5	9	0.9	9
		Semi- detached	7.5	225	Schedule 342, Area A is 8.5; all other cases 9.5	4.5 ⁹	4.5	9	0.9	9

l Sub- Zone	ll Prohibited Uses	III Principal Dwelling Type	IV Minimum Lot Width (m)	V Minimum Lot Area (m)	VI Maximum Building Height (m)	VII Minimum Front Yard Setback (m)	VIII Minimum Corner Side Yard Setback (m)	IX Rear Yard Setback Minimum (m)	X Minimum Interior Side Yard Setback (m)	XI Endnotes (see Table 158B)
N	None	Detached, Duplex, Linked- detached	9	270	Schedule 342, Area A is 8.5; all other cases 11	5	5	7	1	
		Long Semi	10	300	Schedule 342, Area A is 8.5; all other cases 11	5	5	7	1	
		Semi- detached	9	270	Schedule 342, Area A is 8.5; all other cases 11	5	5	7	1	
0	Duplex	Detached Linked- detached	9	270	11	4.5	4.5	7.5 ⁶	1	6
		Long Semi	10	300	11	4.5	4.5	7.5 ⁶	1	6
		Semi- detached	7.5	225	11	4.5	4.5	7.5 ⁶	1	6
Ρ	Duplex	Detached, Linked- detached	9	270	11	4	3	6	1.8 m total, 0.6 m for one side yard	
		Long Semi	10	300	11	4	3	6	1.8 m total, 0.6 m for one side yard	
		Semi- detached	8	240	11	4	3	6	1.2	
Q	None	Detached, Duplex, Linked- detached	9	270	8.5	3	3	7.5	0.6 m on one side and 1.2 m on the other	
		Long Semi	10	300	8.5	3	3	7.5	0.6 m on one side and 1.2 m on the other	
		Semi- detached	6	180	8.5	3	3	7.5	1.2	
R	None	Detached, Duplex, Linked- detached	9	270	8.5	3	3	7.5 ⁶	1.8 m total, 0.6 m for one side yard	6
		Long Semi	10	300	8.5	3	3	7.5 ⁶	1.8 m total, 0.6 m for one side yard	6
		Semi- detached	6	135	8.5	3	3	7.5 ⁶	1.2	6
S	None	Detached, Duplex, Linked- detached	9	270	8	6	4.5	7.5 ⁶	1.8 m total, 0.6 m for one side yard	6

l Sub- Zone	ll Prohibited Uses	III Principal Dwelling Type	IV Minimum Lot Width (m)	V Minimum Lot Area (m)	VI Maximum Building Height (m)	VII Minimum Front Yard Setback (m)	VIII Minimum Corner Side Yard Setback (m)	IX Rear Yard Setback Minimum (m)	X Minimum Interior Side Yard Setback (m)	XI Endnotes (see Table 158B)
		Long Semi	10	300	8	6	4.5	7.5 ⁶	1.8 m total, 0.6 m for one side yard	6
		Semi- detached	6	180	8	6	4.5	7.5 ⁶	1.2	6
Τ	None	Detached, Duplex, Linked- detached	7.5	195	8.5	3	3	7.5	1.2 m where abutting a public pathway or public lane, all other cases 0.3 m	6
		Long Semi	10	300	8.5	3	3	7.5	1.2 m where abutting a public pathway or public lane, all other cases 0.3 m	6
		Semi- detached	6	180	8.5	3	3	7.5 ⁶	1.2	6
U	None	Detached, Duplex, Linked- detached	7.5	195	8	3	3	7.5 ⁶	1.2 m where abutting a public pathway or public lane, all other cases 0.3 m	6
		Long Semi	10	300	8	3	3	7.5 ⁶	1.2 m where abutting a public pathway or public lane, all other cases 0.3 m	6
		Semi- detached	6	180	8	3	3	7.5 ⁶	1.2	6
V (By-		Semi- detached	6	180	8	37	3	7.5 ⁶	1.2	6
law 2013- 205)		Detached	9	240	9.5	37	3	6 ⁸	1.8 m total, 0.6 m for one side	7.8

l Sub- Zone	ll Prohibited Uses	III Principal Dwelling Type	IV Minimum Lot Width (m)	V Minimum Lot Area (m)	VI Maximum Building Height (m)	VII Minimum Front Yard Setback (m)	VIII Minimum Corner Side Yard Setback (m)	IX Rear Yard Setback Minimum (m)	X Minimum Interior Side Yard Setback (m)	XI Endnotes (see Table 158B)
		Long Semi	10	260	9.5	37	3	6 ⁸	1.8 m total, 0.6 m for one side	7,8
		Semi- Detached	7	190	9.5	37	3	6 ⁸	0.9	7,8
Z		Duplex	14	380	11	3 ⁷	3	6 ⁸	1.2	7,8
		Detached	9	240	11	37	3	68	1.8 m total, 0.6 m for one side	7,8
		Long Semi	10	260	11	37	3	6 ⁸	1.8 m total, 0.6 m for one side	7,8
		Semi- detached	7	190	11	37	3	6 ⁸	0.9	7,8

(2) In the R2 Subzones, the following additional zoning provisions as denoted by endnotes apply:

TABLE 158B - ADDITIONAL ZONING PROVISIONS (By-law 2020-288)

l Endnote Number	II Additional Zoning Provisions
1	Minimum lot area is 600 m ² when served by a public water supply and a public sanitary sewer and 690 m ² when serviced by public water supply or a sanitary sewer only.
2	Minimum lot frontage is 21 m when served by a public water supply and a public sanitary sewer and 26 m when served by public water supply or a sanitary sewer only.
3	Minimum lot area is 645 m ² when served by a public water supply and a public sanitary sewer and 920 m ² when serviced by public water supply or a sanitary sewer only.
4	Minimum lot frontage is 10.5 m per dwelling unit or oversize dwelling unit when served by a public water supply and a public sanitary sewer and 15 m per dwelling unit or oversize dwelling unit when serviced by public water supply or a sanitary sewer only. (By-law 2018-206)
5	Minimum lot area per dwelling unit or oversize dwelling unit is 320 m ² when served by a public water supply and a public sanitary sewer and 500 m ² per dwelling unit or oversize dwelling unit when serviced by public water supply or a sanitary sewer only. (By-law 2018-206)
6	For those lots outside of Schedule 342, the minimum rear yard setback is 25% of the lot depth which must comprise at least 25% of the area of the lot, however it may not be less than 6 m and need not exceed 7.5 m. Despite the foregoing, on lots with depths of 15 metres or less, the minimum rear yard setback is 4 m.
	For those lots within S. 342, see Part V, Section 144 – Alternative Yard Setbacks for Low-Rise Residential Uses (By-law 2020-288)

l Endnote Number	II Additional Zoning Provisions							
7	For lots located outside of Schedule 342, the minimum setback between the vehicular entrance to a private garage or carport and an existing or planned sidewalk is 6.2 m. No portion of a private garage or carport shall be located more than 2.5 m closer to a street lot line than the closer of:							
	(i)	a building front wall or side wall, or						
	(ii)	a covered porch or veranda that is at least 2.5 m wide.						
		ots inside Schedule 342, see Part V, Section 144 – Alternative Yard Setbacks for Low-Rise Iential Uses. (By-law 2020-288)						
8	Access to a lot by means of a rear lane is permitted, provided the rear lane is a minimum of 8.5 metres wide. Where access is via the rear lane, the minimum rear yard setback may be reduced to 1.0 metre, and in no case may the width of the garage, carport or driveway exceed 50% of the width of the rear lot line. (By-law 2020-288)							
9	"front front l of Ne							

R3 - Residential Third Density Zone (Sections 159-160)

Purpose of the Zone

The purpose of the R3 - Residential Third Density Zone is to:

- (1) allow a mix of residential building forms ranging from detached to townhouse dwellings in areas designated as General Urban Area in the Official Plan; (By-law 2012-334)
- (2) allow a number of other residential uses to provide additional housing choices within the third density residential areas;
- (3) allow ancillary uses to the principal residential use to allow residents to work at home;
- (4) regulate development in a manner that is compatible with existing land use patterns so that the mixed dwelling, residential character of a neighbourhood is maintained or enhanced; and
- (5) permit different development standards, identified in the Z subzone, primarily for areas designated as **Developing Communities**, which promote efficient land use and compact form while showcasing newer design approaches.

159. In the R3 Zone:

Permitted Uses